


CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
1. A method of viewing, on a remote viewing device of a video surveillance system, multiple simultaneously displayed and stored video images, comprising the steps of:	<div><div>Industries Solutions Products Pricing Resources</div><div>Cloud-Hosted Data</div><div>DTiQ's powerful business intelligence dashboard is hosted in the cloud, allowing users to analyze data, view video, and examine exceptions from any location.</div></div>

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>receiving video images at a personal computer based system from a plurality of video sources, wherein each of the plurality of video sources comprises a camera of the video surveillance system;</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 683 380">Video Compression</h3> <p data-bbox="396 394 1503 485">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 506 646 539">Video Resolution</h3> <p data-bbox="396 554 1313 583">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 604 860 638">Individual Camera Adjustment</h3> <p data-bbox="396 653 1357 682">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 703 789 737">Multiple Interface Options</h3> <p data-bbox="396 751 1455 806">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 827 766 861">Multiple Display Options</h3> <p data-bbox="396 875 1503 963">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 984 654 1018">Recording Modes</h3> <p data-bbox="396 1033 1503 1186">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <h3 data-bbox="396 1207 651 1241">Motion Detection</h3> <p data-bbox="396 1255 1503 1310">Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <h3 data-bbox="396 1331 558 1365">Scheduling</h3> <p data-bbox="396 1379 1487 1442">Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <h3 data-bbox="396 1463 649 1497">Smart Recording</h3> <p data-bbox="396 1512 1492 1566">Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>digitizing any of the images not already in digital form using an analog-to-digital converter;</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 683 384">Video Compression</h3> <p data-bbox="396 394 1503 489">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 508 646 546">Video Resolution</h3> <p data-bbox="396 556 1315 583">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 602 860 640">Individual Camera Adjustment</h3> <p data-bbox="396 651 1359 678">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 697 789 735">Multiple Interface Options</h3> <p data-bbox="396 745 1455 806">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 825 766 863">Multiple Display Options</h3> <p data-bbox="396 873 1503 963">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 982 654 1020">Recording Modes</h3> <p data-bbox="396 1031 1494 1188">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <h3 data-bbox="396 1207 651 1245">Motion Detection</h3> <p data-bbox="396 1255 1503 1316">Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <h3 data-bbox="396 1335 558 1373">Scheduling</h3> <p data-bbox="396 1383 1487 1444">Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <h3 data-bbox="396 1463 649 1501">Smart Recording</h3> <p data-bbox="396 1512 1492 1572">Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>displaying one or more of the digitized images in separate windows on a personal computer based display device, using a first set of temporal and spatial parameters associated with each image in each window;</p>	 <p>Safety & Security</p> <p>Protect assets and employees, minimize liability, and even interact real-time.</p> <h2>System Features</h2> <p>Video Compression A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <p>Video Resolution Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <p>Individual Camera Adjustment Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <p>Multiple Interface Options Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <p>Multiple Display Options Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
	<p>Recording Modes</p> <p>Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <p>Motion Detection</p> <p>Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <p>Scheduling</p> <p>Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <p>Smart Recording</p> <p>Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>converting one or more of the video source images into a selected video format in a particular resolution, using a second set of temporal and spatial parameters associated with each image;</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 683 380">Video Compression</h3> <p data-bbox="396 394 1503 485">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 506 646 539">Video Resolution</h3> <p data-bbox="396 554 1317 583">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 604 862 638">Individual Camera Adjustment</h3> <p data-bbox="396 653 1360 682">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 703 789 737">Multiple Interface Options</h3> <p data-bbox="396 751 1455 806">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 827 768 861">Multiple Display Options</h3> <p data-bbox="396 875 1503 963">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 984 656 1018">Recording Modes</h3> <p data-bbox="396 1033 1490 1188">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <h3 data-bbox="396 1209 651 1243">Motion Detection</h3> <p data-bbox="396 1257 1503 1312">Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <h3 data-bbox="396 1333 558 1367">Scheduling</h3> <p data-bbox="396 1381 1487 1444">Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <h3 data-bbox="396 1465 651 1499">Smart Recording</h3> <p data-bbox="396 1514 1533 1568">Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>contemporaneously storing at least a subset of the converted images in a storage device in a network environment;</p>	<div data-bbox="618 243 1313 768">  </div> <div data-bbox="927 806 992 835">OSS</div> <div data-bbox="625 890 1304 942"> <p>Off-Site Storage automatically uploads surveillance to DTiQ's secure video cloud, ensuring that video is saved in the event that your DVR is damaged or stolen.</p> </div> <h2 data-bbox="394 984 865 1054">System Features</h2> <h3 data-bbox="394 1075 683 1108">Video Compression</h3> <p data-bbox="394 1121 1503 1213">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="394 1234 646 1268">Video Resolution</h3> <p data-bbox="394 1281 1313 1310">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="394 1331 859 1365">Individual Camera Adjustment</h3> <p data-bbox="394 1377 1359 1407">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="394 1428 789 1461">Multiple Interface Options</h3> <p data-bbox="394 1474 1455 1535">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="394 1556 766 1589">Multiple Display Options</h3> <p data-bbox="394 1602 1503 1694">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="394 1715 654 1749">Recording Modes</h3> <p data-bbox="394 1761 1494 1919">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p>


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
contemporaneously storing at least a subset of the converted images in a storage device in a network environment;	<p>Motion Detection Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <p>Scheduling Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <p>Smart Recording Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>providing a communications link to allow an external viewing device to access the storage device;</p> 	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 626 380">Video Playback</h3> <p data-bbox="396 394 1511 583">Video clips are sorted and accessed by year/date/time and can be played back while current recording is taking place. Playback can be in single, quad or all camera views as well as a frame by frame thumbnail view allowing easy identification of any incident. Additional features are provided for single frame image enhancement and printing. Single frames can be enhanced for brightness, contrast and sharpness and exported in various graphic formats including JPEG, or printed directly from the software.</p> <h3 data-bbox="396 602 639 636">Video Exporting</h3> <p data-bbox="396 651 1511 804">Individual video clips can be exported in standard AVI format, with time and date stamp and played in Windows Media Player. Backing up a whole block of time is simple with the new integrated backup utility. Not only can you select the timeframe, cameras, logs, etc., but the resulting CD includes a copy of the Video Playback program, allowing the end user to browse through it in the same way as if they were using a DTT On-Site server itself.</p> <h3 data-bbox="396 823 824 856">Advanced Playback Features</h3> <p data-bbox="396 871 1498 898">It is also possible to search the recorded video for motion events in any chosen region of the video.</p> <h3 data-bbox="396 917 724 951">Digital Watermarking</h3> <p data-bbox="396 966 1503 1026">Digital Watermarking can be selected, to prove the integrity of recorded videos. This is particularly useful if recordings are to be used as evidence in court.</p> <h3 data-bbox="396 1045 797 1079">Alarm and Email functions</h3> <p data-bbox="396 1094 1523 1155">The software can be configured to send alert emails, including time-stamped snapshots, when motion is detected, temperature modules detect highs or lows, backdoors or safes are opened, etc.</p> <h3 data-bbox="396 1173 753 1207">Remote Communication</h3> <p data-bbox="396 1222 1503 1346">Watching video streams from one or many locations is supported by the built-in web server, allowing you to remote in from anywhere without any special software required. Web server supports live viewing with 2-way audio, as well as playback and system log auditing. Video can be streamed at 320x240 or 640x480 allowing for better remote video quality.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>receiving, from a remote viewing device remoted located remotely from the video surveillance system, a request to receive one or more specific streams of the video images;</p>	<div data-bbox="792 275 1141 1035"> </div> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues.

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>transmitting, either directly from one or more of the plurality of video sources or from the storage device over the communication link to the remote viewing device, and in the selected video format in the particular resolution, the selected video format being a progressive video format which has a frame rate of less than substantially 24 frames per second using a third set of temporal and spatial parameters associated with each image, a version or versions of one or more of the video images to the remote viewing device, wherein the communication link traverses an external broadband connection between the remote computing device and the network environment; and</p>	<div data-bbox="418 331 1523 640"> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues. </div> <h2 data-bbox="394 703 867 772">System Features</h2> <h3 data-bbox="394 793 628 829">Video Playback</h3> <p data-bbox="394 840 1510 1029">Video clips are sorted and accessed by year/date/time and can be played back while current recording is taking place. Playback can be in single, quad or all camera views as well as a frame by frame thumbnail view allowing easy identification of any incident. Additional features are provided for single frame image enhancement and printing. Single frames can be enhanced for brightness, contrast and sharpness and exported in various graphic formats including JPEG, or printed directly from the software.</p> <h3 data-bbox="394 1050 641 1085">Video Exporting</h3> <p data-bbox="394 1096 1513 1255">Individual video clips can be exported in standard AVI format, with time and date stamp and played in Windows Media Player. Backing up a whole block of time is simple with the new integrated backup utility. Not only can you select the timeframe, cameras, logs, etc., but the resulting CD includes a copy of the Video Playback program, allowing the end user to browse through it in the same way as if they were using a DTT On-Site server itself.</p> <h3 data-bbox="394 1276 824 1312">Advanced Playback Features</h3> <p data-bbox="394 1323 1498 1350">It is also possible to search the recorded video for motion events in any chosen region of the video.</p> <h3 data-bbox="394 1371 725 1407">Digital Watermarking</h3> <p data-bbox="394 1417 1505 1480">Digital Watermarking can be selected, to prove the integrity of recorded videos. This is particularly useful if recordings are to be used as evidence in court.</p> <h3 data-bbox="394 1501 797 1537">Alarm and Email functions</h3> <p data-bbox="394 1547 1526 1610">The software can be configured to send alert emails, including time-stamped snapshots, when motion is detected, temperature modules detect highs or lows, backdoors or safes are opened, etc.</p> <h3 data-bbox="394 1631 755 1667">Remote Communication</h3> <p data-bbox="394 1677 1502 1801">Watching video streams from one or many locations is supported by the built-in web server, allowing you to remote in from anywhere without any special software required. Web server supports live viewing with 2-way audio, as well as playback and system log auditing. Video can be streamed at 320x240 or 640x480 allowing for better remote video quality.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
displaying only the one or more requested specific streams of the video images on the remote computing device.	<div data-bbox="792 275 1141 1035" data-label="Image"> </div> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues.


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>2. The method of claim 1, wherein the remote viewing of the given video stream is contemporaneous with the live viewing and storage.</p>	<div data-bbox="792 275 1141 1035"> </div> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> ▶ Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues.

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>3. The method of claim 1, wherein the remote viewing of the given video stream is conducted subsequent to the live viewing and storage.</p> 	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 626 380">Video Playback</h3> <p data-bbox="396 394 1511 583">Video clips are sorted and accessed by year/date/time and can be played back while current recording is taking place. Playback can be in single, quad or all camera views as well as a frame by frame thumbnail view allowing easy identification of any incident. Additional features are provided for single frame image enhancement and printing. Single frames can be enhanced for brightness, contrast and sharpness and exported in various graphic formats including JPEG, or printed directly from the software.</p> <h3 data-bbox="396 602 639 636">Video Exporting</h3> <p data-bbox="396 651 1511 806">Individual video clips can be exported in standard AVI format, with time and date stamp and played in Windows Media Player. Backing up a whole block of time is simple with the new integrated backup utility. Not only can you select the timeframe, cameras, logs, etc., but the resulting CD includes a copy of the Video Playback program, allowing the end user to browse through it in the same way as if they were using a DTT On-Site server itself.</p> <h3 data-bbox="396 825 824 858">Advanced Playback Features</h3> <p data-bbox="396 873 1498 907">It is also possible to search the recorded video for motion events in any chosen region of the video.</p> <h3 data-bbox="396 926 724 959">Digital Watermarking</h3> <p data-bbox="396 974 1503 1031">Digital Watermarking can be selected, to prove the integrity of recorded videos. This is particularly useful if recordings are to be used as evidence in court.</p> <h3 data-bbox="396 1050 797 1083">Alarm and Email functions</h3> <p data-bbox="396 1098 1523 1155">The software can be configured to send alert emails, including time-stamped snapshots, when motion is detected, temperature modules detect highs or lows, backdoors or safes are opened, etc.</p> <h3 data-bbox="396 1173 753 1207">Remote Communication</h3> <p data-bbox="396 1222 1503 1350">Watching video streams from one or many locations is supported by the built-in web server, allowing you to remote in from anywhere without any special software required. Web server supports live viewing with 2-way audio, as well as playback and system log auditing. Video can be streamed at 320x240 or 640x480 allowing for better remote video quality.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>4. The method of claim 1, wherein the remote computing device and the network environment communicate through the Internet.</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 626 380">Video Playback</h3> <p data-bbox="396 392 1511 583">Video clips are sorted and accessed by year/date/time and can be played back while current recording is taking place. Playback can be in single, quad or all camera views as well as a frame by frame thumbnail view allowing easy identification of any incident. Additional features are provided for single frame image enhancement and printing. Single frames can be enhanced for brightness, contrast and sharpness and exported in various graphic formats including JPEG, or printed directly from the software.</p> <h3 data-bbox="396 602 639 636">Video Exporting</h3> <p data-bbox="396 648 1511 806">Individual video clips can be exported in standard AVI format, with time and date stamp and played in Windows Media Player. Backing up a whole block of time is simple with the new integrated backup utility. Not only can you select the timeframe, cameras, logs, etc., but the resulting CD includes a copy of the Video Playback program, allowing the end user to browse through it in the same way as if they were using a DTT On-Site server itself.</p> <h3 data-bbox="396 825 824 858">Advanced Playback Features</h3> <p data-bbox="396 871 1498 905">It is also possible to search the recorded video for motion events in any chosen region of the video.</p> <h3 data-bbox="396 924 724 957">Digital Watermarking</h3> <p data-bbox="396 970 1503 1031">Digital Watermarking can be selected, to prove the integrity of recorded videos. This is particularly useful if recordings are to be used as evidence in court.</p> <h3 data-bbox="396 1050 797 1083">Alarm and Email functions</h3> <p data-bbox="396 1096 1523 1157">The software can be configured to send alert emails, including time-stamped snapshots, when motion is detected, temperature modules detect highs or lows, backdoors or safes are opened, etc.</p> <h3 data-bbox="396 1176 753 1209">Remote Communication</h3> <p data-bbox="396 1222 1503 1350">Watching video streams from one or many locations is supported by the built-in web server, allowing you to remote in from anywhere without any special software required. Web server supports live viewing with 2-way audio, as well as playback and system log auditing. Video can be streamed at 320x240 or 640x480 allowing for better remote video quality.</p> <div data-bbox="396 1409 1523 1745"> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues. </div>



CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
5. The method of claim 1, wherein the broadband connection has a bandwidth of 2-6 Megabits per second (Mbps).	This is a typical characteristic of ADSL connections and Wireless Mobile Phone connections.

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>6. A method of viewing, on a remote viewing device of a video surveillance system, multiple simultaneously displayed and stored video images, comprising the steps of:</p> 	 <p>Cloud-Hosted Data</p> <p>DTiQ's powerful business intelligence dashboard is hosted in the cloud, allowing users to analyze data, view video, and examine exceptions from any location.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>receiving video images at a personal computer based system from a plurality of video sources, wherein each of the plurality of video sources comprises a camera of the video surveillance system;</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 683 380">Video Compression</h3> <p data-bbox="396 392 1503 485">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 506 646 539">Video Resolution</h3> <p data-bbox="396 552 1313 585">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 604 860 638">Individual Camera Adjustment</h3> <p data-bbox="396 651 1359 684">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 703 789 737">Multiple Interface Options</h3> <p data-bbox="396 749 1455 808">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 827 766 861">Multiple Display Options</h3> <p data-bbox="396 873 1503 966">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 984 654 1018">Recording Modes</h3> <p data-bbox="396 1031 1503 1190">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <h3 data-bbox="396 1209 651 1243">Motion Detection</h3> <p data-bbox="396 1255 1503 1314">Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <h3 data-bbox="396 1333 558 1367">Scheduling</h3> <p data-bbox="396 1379 1487 1438">Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <h3 data-bbox="396 1457 649 1491">Smart Recording</h3> <p data-bbox="396 1503 1503 1562">Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>digitizing any of the images not already in digital form using an analog-to-digital converter;</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 344 683 380">Video Compression</h3> <p data-bbox="396 390 1503 485">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 506 646 541">Video Resolution</h3> <p data-bbox="396 552 1312 583">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 604 862 640">Individual Camera Adjustment</h3> <p data-bbox="396 651 1357 682">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 703 789 739">Multiple Interface Options</h3> <p data-bbox="396 749 1455 808">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 829 768 865">Multiple Display Options</h3> <p data-bbox="396 875 1503 970">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 991 656 1026">Recording Modes</h3> <p data-bbox="396 1037 1503 1190">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <h3 data-bbox="396 1211 651 1247">Motion Detection</h3> <p data-bbox="396 1257 1503 1316">Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <h3 data-bbox="396 1337 558 1373">Scheduling</h3> <p data-bbox="396 1383 1487 1442">Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <h3 data-bbox="396 1463 651 1499">Smart Recording</h3> <p data-bbox="396 1509 1503 1568">Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>displaying one or more of the digitized images in separate windows on a personal computer based display device, using a first set of temporal and spatial parameters associated with each image in each window;</p>	 <p>Safety & Security</p> <p>Protect assets and employees, minimize liability, and even interact real-time.</p> <h2>System Features</h2> <p>Video Compression A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <p>Video Resolution Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <p>Individual Camera Adjustment Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <p>Multiple Interface Options Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <p>Multiple Display Options Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
	<p>Recording Modes</p> <p>Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <p>Motion Detection</p> <p>Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <p>Scheduling</p> <p>Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <p>Smart Recording</p> <p>Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>converting one or more of the video source images into a selected video format in a particular resolution, using a second set of temporal and spatial parameters associated with each image;</p>	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 683 380">Video Compression</h3> <p data-bbox="396 394 1503 485">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 506 646 539">Video Resolution</h3> <p data-bbox="396 554 1313 583">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 604 860 638">Individual Camera Adjustment</h3> <p data-bbox="396 653 1357 682">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 703 789 737">Multiple Interface Options</h3> <p data-bbox="396 751 1455 806">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 827 766 861">Multiple Display Options</h3> <p data-bbox="396 875 1503 963">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 984 654 1018">Recording Modes</h3> <p data-bbox="396 1033 1490 1188">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p> <h3 data-bbox="396 1209 651 1243">Motion Detection</h3> <p data-bbox="396 1257 1503 1312">Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <h3 data-bbox="396 1333 558 1367">Scheduling</h3> <p data-bbox="396 1381 1487 1444">Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <h3 data-bbox="396 1465 649 1499">Smart Recording</h3> <p data-bbox="396 1514 1533 1568">Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>contemporaneously storing at least a subset of the converted images in a storage device in a network environment;</p>	<div data-bbox="620 241 1313 766">  </div> <div data-bbox="930 804 992 833"> <p>OSS</p> </div> <div data-bbox="626 888 1304 938"> <p>Off-Site Storage automatically uploads surveillance to DTiQ's secure video cloud, ensuring that video is saved in the event that your DVR is damaged or stolen.</p> </div> <h2 data-bbox="396 982 865 1052">System Features</h2> <h3 data-bbox="396 1073 683 1108">Video Compression</h3> <p data-bbox="396 1121 1503 1213">A choice of Fast MPEG4, Fast MPEG4-ASP, Fast H.264 or H.264 V2 compression for local recording is selectable by camera. A preview of compression as well as video attributes is available in real time from the configuration menu.</p> <h3 data-bbox="396 1234 646 1270">Video Resolution</h3> <p data-bbox="396 1283 1313 1310">Video pixel resolution ranging from 320x240 to 640x480 per camera is selectable.</p> <h3 data-bbox="396 1331 859 1367">Individual Camera Adjustment</h3> <p data-bbox="396 1379 1357 1407">Brightness, Contrast, Hue and Saturation are all adjustable for each individual camera.</p> <h3 data-bbox="396 1428 789 1463">Multiple Interface Options</h3> <p data-bbox="396 1476 1455 1535">Software can be controlled with simple clicks of a mouse, or through a touch screen, on-screen keyboard or an optional wireless remote control.</p> <h3 data-bbox="396 1556 766 1591">Multiple Display Options</h3> <p data-bbox="396 1604 1503 1696">Live video can be displayed in single camera for various multi-camera modes, configurable to your needs and can be switched with a single mouse click allowing you to see what you want, when you want.</p> <h3 data-bbox="396 1717 654 1753">Recording Modes</h3> <p data-bbox="396 1766 1503 1917">Each camera can be configured to record in a variety of modes to best suit your needs. Motion Detect mode utilizes the built-in motion detection to record video only when motion is present, in conjunction with the Pre-Recording mode you can rest assured nothing will be missed. Continuous recording mode allows for capture of video 24-7, while it is still possible to log motion events that make reviewing considerably easier.</p>


CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>contemporaneously storing at least a subset of the converted images in a storage device in a network environment;</p> 	<p>Motion Detection Sensitivity and Areas for "motion ignore" can be set per camera. Multiple mask areas per image are allowed.</p> <p>Scheduling Recording modes, as well as remote access and email alerts, are configurable by camera, and time and day of the week to ensure the best performance.</p> <p>Smart Recording Smart Recording can be selected by camera to maximize recording speed. Smart Recording shares the full recording speed between those cameras actually recording at any one time.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>providing a communications link to allow an external viewing device to access the storage device;</p> 	<h2 data-bbox="396 258 867 327">System Features</h2> <h3 data-bbox="396 346 626 380">Video Playback</h3> <p data-bbox="396 394 1511 583">Video clips are sorted and accessed by year/date/time and can be played back while current recording is taking place. Playback can be in single, quad or all camera views as well as a frame by frame thumbnail view allowing easy identification of any incident. Additional features are provided for single frame image enhancement and printing. Single frames can be enhanced for brightness, contrast and sharpness and exported in various graphic formats including JPEG, or printed directly from the software.</p> <h3 data-bbox="396 604 639 638">Video Exporting</h3> <p data-bbox="396 653 1511 806">Individual video clips can be exported in standard AVI format, with time and date stamp and played in Windows Media Player. Backing up a whole block of time is simple with the new integrated backup utility. Not only can you select the timeframe, cameras, logs, etc., but the resulting CD includes a copy of the Video Playback program, allowing the end user to browse through it in the same way as if they were using a DTT On-Site server itself.</p> <h3 data-bbox="396 827 824 861">Advanced Playback Features</h3> <p data-bbox="396 875 1498 903">It is also possible to search the recorded video for motion events in any chosen region of the video.</p> <h3 data-bbox="396 924 724 957">Digital Watermarking</h3> <p data-bbox="396 972 1503 1031">Digital Watermarking can be selected, to prove the integrity of recorded videos. This is particularly useful if recordings are to be used as evidence in court.</p> <h3 data-bbox="396 1052 797 1085">Alarm and Email functions</h3> <p data-bbox="396 1100 1523 1159">The software can be configured to send alert emails, including time-stamped snapshots, when motion is detected, temperature modules detect highs or lows, backdoors or safes are opened, etc.</p> <h3 data-bbox="396 1180 753 1213">Remote Communication</h3> <p data-bbox="396 1228 1503 1350">Watching video streams from one or many locations is supported by the built-in web server, allowing you to remote in from anywhere without any special software required. Web server supports live viewing with 2-way audio, as well as playback and system log auditing. Video can be streamed at 320x240 or 640x480 allowing for better remote video quality.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>receiving, from a remote viewing device remoted located remotely from the video surveillance system, a request to receive one or more specific streams of the video images;</p>	<div data-bbox="792 275 1141 1035"> </div> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues.

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>transmitting, either directly from one or more of the plurality of video sources or from the storage device over the communication link traversing the Internet to the remote viewing device, and in the selected video format in the particular resolution, the selected video format being a progressive video format which has a frame rate of less than substantially 24 frames per second using a third set of temporal and spatial parameters associated with each image, a version or versions of one or more of the video images to the remote viewing device; and</p>	<div data-bbox="418 331 1523 640"> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues. </div> <h2 data-bbox="394 703 867 772">System Features</h2> <h3 data-bbox="394 793 628 829">Video Playback</h3> <p data-bbox="394 840 1510 1029">Video clips are sorted and accessed by year/date/time and can be played back while current recording is taking place. Playback can be in single, quad or all camera views as well as a frame by frame thumbnail view allowing easy identification of any incident. Additional features are provided for single frame image enhancement and printing. Single frames can be enhanced for brightness, contrast and sharpness and exported in various graphic formats including JPEG, or printed directly from the software.</p> <h3 data-bbox="394 1050 641 1085">Video Exporting</h3> <p data-bbox="394 1096 1513 1255">Individual video clips can be exported in standard AVI format, with time and date stamp and played in Windows Media Player. Backing up a whole block of time is simple with the new integrated backup utility. Not only can you select the timeframe, cameras, logs, etc., but the resulting CD includes a copy of the Video Playback program, allowing the end user to browse through it in the same way as if they were using a DTT On-Site server itself.</p> <h3 data-bbox="394 1276 824 1312">Advanced Playback Features</h3> <p data-bbox="394 1323 1498 1350">It is also possible to search the recorded video for motion events in any chosen region of the video.</p> <h3 data-bbox="394 1371 725 1407">Digital Watermarking</h3> <p data-bbox="394 1417 1505 1478">Digital Watermarking can be selected, to prove the integrity of recorded videos. This is particularly useful if recordings are to be used as evidence in court.</p> <h3 data-bbox="394 1499 797 1535">Alarm and Email functions</h3> <p data-bbox="394 1545 1526 1606">The software can be configured to send alert emails, including time-stamped snapshots, when motion is detected, temperature modules detect highs or lows, backdoors or safes are opened, etc.</p> <h3 data-bbox="394 1627 755 1663">Remote Communication</h3> <p data-bbox="394 1673 1503 1797">Watching video streams from one or many locations is supported by the built-in web server, allowing you to remote in from anywhere without any special software required. Web server supports live viewing with 2-way audio, as well as playback and system log auditing. Video can be streamed at 320x240 or 640x480 allowing for better remote video quality.</p>

CONFIDENTIAL

CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Huddle House

Patent Claim Language	Application to Huddle House
<p>displaying only the one or more requested specific streams of the video images on the remote computing device.</p>	<div data-bbox="792 275 1141 1035"> </div> <p>With the 360iQ mobile application, you can step out of the office, but not away from your business.</p> <ul style="list-style-type: none"> - Watch Live and Historical video in High Definition from all your locations. - Be everywhere at once. See multiple stores streaming simultaneously. - Integrate your existing surveillance with transactional data. - View transactions as they occur using Live Sales functionality. - Our intuitive algorithms will flag incidents for you to review, saving you time & money. - Be alerted when any suspicious activities occur such as discount abuse, employee meal abuse, backdoor theft, and more. - Track your enterprise Key Performance Indicators in real time in one place using Reports. - Use Custom Reports to tailor reports to your specific business needs. - View reports generated by the 360iQ auditing team. - Notify other users about questionable transactions so you can work as a team to resolve issues.

- "System Features" taken from DTT's "System Features" Document.
- Systems images taken from DTT web site.
- Remote viewing features taken from Apple Store DTiQ App description..

CONFIDENTIAL